

Pima®

ISO 9001:2015



CATALOGUE PIMA CO.,LTD



Waterproof



Anti Termite



Recyclability



Friendly with environment



Easy to clean



Fire resistant



Easy to construct



Non-toxic



www.pima.com.vn

Kính gửi Quý Khách

Công ty TNHH Pima là một trong những công ty đầu tiên tại Việt Nam sản xuất tấm nhựa công nghiệp với công nghệ sản xuất hiện đại, đội ngũ nhân sự chuyên nghiệp, chúng tôi tự hào góp phần đem đến cho người tiêu dùng Việt một sản phẩm mới và ưu việt trong ngành xây dựng.

Bắt kịp xu thế sử dụng những nguyên liệu mới, tấm Pima ra đời như một sản phẩm tuyệt vời, ưu thế vượt trội so với các nguyên liệu xây dựng truyền thống, với độ bền cao, tiết kiệm, không độc hại và thân thiện với môi trường, tấm Pima có thể thay thế cho những sản phẩm như gỗ, ván ép MFC, MDF, đá Thêm vào đó, tấm Pima còn có ưu điểm về mặt thẩm mỹ không thua kém các sản phẩm truyền thống. Chọn tấm Pima là sự lựa chọn thông minh và tiết kiệm ưu việt.

Với tấm huyết muốn góp phần mang những sản phẩm mới, chất lượng đến cho người tiêu dùng và đối tác, công ty TNHH Pima luôn quan tâm đến chất lượng của sản phẩm cũng như dịch vụ. Chúng tôi luôn nỗ lực để có thể phát triển cùng nền kinh tế và ngành xây dựng Việt Nam.

Cảm ơn sự quan tâm và ủng hộ của Quý khách đối với sản phẩm của chúng tôi. Đó là nguồn động viên vô cùng to lớn để công ty chúng tôi có thêm động lực hoàn thiện chính mình.

Pima Company Limited ("Pima") is a leading manufacturer of PVC Foam Board and PVC Imitation Marble Board in Vietnam. With distinctive technology, modern production chain and efficient service, Pima is proud to delicate the finest products to local and international market.

Observing the trend of urging environmental friendly material, Pima Board is a remarkable product and have many highlighted advantages such as waterproof, fire retardant, non-toxic and recyclability. It appears to be the best substitution for traditional material due to its outstanding characteristics. Our products are always far more excellent in term of appearance and quality.

With never-lasting enthusiasm to improve quality of Pima products and service, Pima always constantly try our best to growth alongside with the development of Vietnam market.

Thank you for your interest and support to our products. It certainly is the source of tremendous encouragement for us to be completed.

VỀ CHÚNG TÔI

CƠ SỞ HẠ TẦNG

Để tạo những sản phẩm đạt chất lượng tốt nhất, công ty đã áp dụng quy trình công nghệ cho từng công đoạn, sản phẩm được tạo ra từ khâu chọn nguyên liệu, xử lý nguyên liệu đến khâu thành phẩm luôn được chúng tôi hoàn thiện theo quy trình kỹ thuật nghiêm ngặt và chất lượng nhất.

Chúng tôi đã đầu tư một hệ thống máy móc sản xuất ván nhựa hiện đại cao cấp đạt những yêu cầu khắt khe của bộ giám định sản phẩm xanh sạch với môi trường.



Giới Thiệu - Introduction



“ Công ty Pima chuyên sản xuất tấm ván nhựa Pima, Pima Cẩm Thạch, Pima Vân Gỗ, trần nhựa Pima, Cửa nhựa Pimd, tấm Ốp Tường Pima.
Ưu điểm sản phẩm Pima : chống cháy, chống nước, chống mối mọt, không độc hại, tái sử dụng được. Độ bền sản phẩm trên 10 năm. Sản Phẩm Pima được tạo ra để trở thành một giải pháp hiệu quả cho nội thất và quảng cáo, ngành xây dựng, thân thiện với môi trường và người sử dụng”



Recyclability



Water-proof



Fire-retardant



Anti-termite



Eco-friendly



Easy to construct



Test Report No. VNT/H/19/000555
Dated 22/08/2019

Result summary/ conclusion:

No.	Test parameter(s)	Conclusion
1.	Cadmium (Cd)	Pass/See Result
2.	Lead (Pb)	Pass/See Result
3.	Mercury (Hg)	Pass/See Result
4.	Hexavalent Chromium (Cr VI)	Pass/See Result
5.	Sum of PBBs	Pass/See Result
6.	Sum of PBDEs	Pass/See Result
7.	Bis-(2-Ethyl Hexyl) Phthalate (DEHP)	Pass/See Result
8.	Di-butyl Phthalate (DBP)	Pass/See Result
9.	Benzyl Butyl Phthalate (BBP)	Pass/See Result
10.	Di-iso-butyl Phthalate (DIBP)	Pass/See Result

Notes(s):

- The submitted samples are Not Drawn by the Laboratory
- This report includes the test result(s) which was conducted and reviewed by Chemical Department.

Notes: (1) General Tolerances to be observed are mentioned below; (2) The results relate only to the items tested; (3) The test result that has not been observed is marked as "Not Detected" or "Not Observed".

Measurement Uncertainty

Measurement uncertainty is a parameter that characterizes the dispersion of the values that could reasonably be attributed to the measurand. It is expressed as a percentage of the measured value. The measurement uncertainty is calculated by the Laboratory using the GUM (ISO 9592) method.

Lab. No.: VNT-HS-0001, Safety: Class II
 No. 80/817-1, City: Thane Road, Near P. V. N. Road,
 401 004, Mumbai City, Western

For: 088 68870071
 Mail: info@vnt.co.in

Page 2 of 13

		
Test Report	No. 1045, Chindaneri road-01	Date: April 16, 2016 Page 2 of 2
Test results: Sample Description: 9. 100% PPSB (PVC) ROVER SHEET		
ISO 15490-4:2016 - Determination of Potential toxicity of Formicdehyde in building board		
Sample	Test	0.5 cm ²
Formicdehyde Content	-	100
		(M)
Note: (a) MCL: Maximum Concentration Limit: 0.015 mg/L (b) S: Surface area of test piece (cm ²)		
Remark: This result was / were performed by SGS Vietnam's Chemical lab		
PHOTO OF SUBMITTED SAMPLE		
		
Formicdehyde Content (MCL) is tested by using test results as follows: - MCL of 0.015 mg/L		

	 	Page 3 of 3
Test Report	No. 9505 0000000000000001	Date 05. 08. 2015
Test result:		
General Description	PMS PVC FIBRE BOARD (SIPS) "FIBRE INSULA FIBRE PVC"	
Test method	1. EN 438 : 1997	
Test equipment	1. Brüel & Kjær Impact test hammer	
Accepted tolerance	1. 20 %	

Characteristics (Flammability **)						
Specimen No.	Time of flaming (s)				Flame heat index No.	Observations during the test
	To	T ₁	T ₂	T ₃		
001	1	0	0	0	0	Basic points reached: limited exposure test
002	1	0	0	0	0	
003	1	0	0	0	0	
004	1	0	0	0	0	
005	1	0	0	0	0	
006	1	0	0	0	0	
Flammability class according to EN 13501 : 000						

Download
 Your Test Report is available online under the management of your Name
 No. Your Test Name Your Number (25 min. delivery)
 No. Your Test Name Your Number (25 min. delivery)
 No. Your Test Name Your Number (25 min. delivery)

Remarks
 1. Specimens were selected and delivered in accordance by the client
 2. The test results were obtained on the basis of the test results obtained under the particular conditions of test. They are not intended to be the only reference for assessing the behavior of the product in use

Remark: This test result was not performed to ISO 9001:2008 Subclause 8.2.3



The information on this document (description of chemical analysis) constitutes the intellectual property of SGS. It is not to be disclosed or used for any other purpose than the one for which it was intended. It is not to be used for any other purpose than the one for which it was intended. It is not to be used for any other purpose than the one for which it was intended.

The information on this document (description of chemical analysis) constitutes the intellectual property of SGS. It is not to be disclosed or used for any other purpose than the one for which it was intended. It is not to be used for any other purpose than the one for which it was intended. It is not to be used for any other purpose than the one for which it was intended.

The information on this document (description of chemical analysis) constitutes the intellectual property of SGS. It is not to be disclosed or used for any other purpose than the one for which it was intended. It is not to be used for any other purpose than the one for which it was intended. It is not to be used for any other purpose than the one for which it was intended.

The information on this document (description of chemical analysis) constitutes the intellectual property of SGS. It is not to be disclosed or used for any other purpose than the one for which it was intended. It is not to be used for any other purpose than the one for which it was intended. It is not to be used for any other purpose than the one for which it was intended.

[illegible]

		 	
Test Report		No. 10000000000000000000	
PRIMA Corporation LIMITED			
400 YEN 2, SA-DU, HOA AN, HOYEN-DU, HOA, Tay Ninh (2000) MS 0001 NAB			
The following sample was submitted and classified on behalf of the client as below			
2000 Job No.	10000000000000000000		
Sample Description	PRIMA PVC-FLOORING 10000000000000000000		
Color	300 x 300 x 1.5 mm		
Characteristics	300 x 300 x 1.5 mm		
Reference	10000000000000000000		
Country of Origin	VIETNAM		
Country of Destination	EUROPE, ASIA, USA, AUSTRALIA		
Sample Presentation Date	APRIL 02, 2010		
Final Confirmation Date	APRIL 02, 2010		
Testing Method	APRIL 02, 2010 TO APRIL 02, 2010		
Test Required	PLEASE REFER TO THE RESULT SUMMARY		
Result Authority	PLEASE REFER TO THE RESULT SUMMARY		
Test Requested		Comments	
10000000000000000000 - Submission of Requested quantity of Formulation in (20000000000000000000)		Enter test results	
Signed for and on behalf of: 			
Name: Wong Che Ming Position: Head Lab Manager			



QUALITY ASSURANCE AND TESTING CENTRE 2

CERTIFICATE

Quality Assurance and Testing Centre 2 hereby certifies that

the quality management system of

PIMA COMPANY LIMITED

Address:

Block Tan 1 hamed, Duc Hoa 1 commune, Duc Hoa District, Long An province, Viet Nam.

Has been assessed and found to conform with the following standard:

TCVN ISO 9001:2015/ ISO 9001:2015

Certification scope:

Manufacture and supply of PVC Nam board (PVC).

Certificate number: **MT.18.003**

Original certification date: **21/03/2019**

This certificate is valid from: **21/03/2019 to 20/03/2022**

(The certificate remains valid subject to satisfactory surveillance audits)







Downloaded by : **Chau Quang Thuy** @ 4/11/2019 10:30 AM, Hoang Linh, Viet Nam
 www.qatc2.com.vn

TẤM VÁN NHỰA PIMA

“Pima PVC Foam Board”



| Miêu tả

“Description”

Tấm ván nhựa Pima là một trong những vật liệu nhựa được sử dụng rộng rãi trên toàn thế giới. Vật liệu nhựa Pima đem đến sự đa dạng trong ứng dụng và góp phần đáng kể vào sự phát triển của ngành xây dựng và trang trí nội thất. Sự phổ biến vật liệu nhựa Pima đến từ những lợi thế như: độ bền, khả năng chịu nước, chống cháy, chống ăn mòn, chống ẩm và thân thiện môi trường.

Pima (PVC) Foam Board is one of the most widely plastic products using in the world today. It offers a diverse and varied range of properties, and contributes significantly to the modern construction and decoration industry. Its popularity comes from various highlighted benefits such as: durability, water resistance, non-flammability, anti-moisture environmental friendly are effective insulators (ASTM D257-99).



| Tính năng nổi bật

“Features of Pima Foam”



Tái chế
Recyclability



Chống cháy
Fire-retardant



Không mối mọt
Anti-termite



Không độc hại
Non-toxic



Dễ thi công
Easy to construct



Dễ sơn phủ
Easy to paint



Thân thiện môi trường
Environmental Friendly



Chống thấm nước
Waterproof


Đặc tính Specification		
1	Kích thước Size	1220 mm * 2440 mm Có thể thay đổi/ Changeable
2	Độ dày Thickness	3 mm ~ 30 mm
3	Khối lượng riêng Density	450 ~ 1000 kg/m ³
4	Bề mặt Surface	Nhẵn bóng Smooth
5	Màu sắc Colours	Trắng, vàng hoặc xám White, yellow, gray

BỀ MẶT CỨNG NHẵn BÓNG VÀ SƠN PHỦ ĐƯỢC.
Surface is hard, smooth, glossy and be able to coat.

Từ (From)
5mm

VẬT LIỆU PIMA THÂN THIỆN MÔI TRƯỜNG PIMA IS ECO-FRIENDLY

- **Không chứa chì:** Đặc tính này là minh chứng chân thực nhất cho thấy tấm nhựa Pima là vật liệu tối ưu cho nội thất vì không chứa kim loại nặng ảnh hưởng đến sức khỏe người sử dụng
- **Không chứa khí formaldehyde:** Tấm nhựa Pima được cấu thành từ hạt nhựa tinh khiết chiết xuất từ dầu hỏa. Đặc điểm này giúp cho tấm nhựa Pima không có mùi hôi đặc trưng của khí formaldehyde tỏa trong quá trình thi công và sử dụng
- **Lead-Free:** This characteristic strongly demonstrate the suitability of Pima PVC Foam to be ideal material for indoor furniture and certify its safety for long-term contact with human body.
- **Non Formaldehyde:** Pima PVC Foam is manufactured from pure PVC resin which extracted from kerosene. This component ensure no formaldehyde gas emit from the board, during construction process and normal usage.



TẤM NHỰA PIMA LUÔN KHÁC BIỆT PIMA IS DISTINCTIVE

Ngoại quan và cơ lý tính được đảm bảo
Beter physical properties and Appearance
Example PVC Celuka Board 18mm

Item	Unit	Value	Remark	
Density	Kg/m3	600		
Surface Hardness	Shore D	>70	Surface hardness is consistent and higher than other similar products in the market	
Thickness Tolerance	mm	± 0.25		
Size Tolerance	mm	± 5	Improving sheet utilization efficiency	
Surface status	Glossy and Smooth; Highly efficient for ink injection and coating purposes			
Enhanced Physical Properties				
Item	Unit	Test Method	Value	Remark
Screw Holding	N		≥920	Better reinforcement to connection joint and structure of indoor furniture
Impact strength	KJ/M²	—	≥ 25	Highly durable
Flexural strength	MPa	ASTM D790-10	≥18	More endure to , uneasy to deform
Modulus of Elasticity	MPa	ASTM D790-10	≥1100	Indoor furniture will be more flexible for construction but still remain durability
Tensile Strength	MPa	ASTM D638-10	≥ 7	
Vicat Softening Temp	°C	ASTM D1525-09	≥ 75	More endurable to weather resistance, uneasy to deform
Water absorption	%	ASTM D570-98	≥ 1	
Flammability	Flamerating	UL94-1997	HB	Material is self-distinguished within 32 seconds from burning point

- Hệ thống quản lý chất lượng khép kín

An complete internal quality assurance system

Mỗi một sản phẩm được sản xuất đều được kiểm tra chất lượng nghiêm ngặt, đảm bảo tính năng và đặc tính vật lý của mỗi sản phẩm luôn đồng đều và đạt chuẩn mực cao nhất.

Each manufactured product is always being inspected carefully in order to make sure its characteristics and properties are maintained at the highest standard.

- Sản phẩm chất lượng với giá thành cạnh tranh

Good quality with competitive price

Với đội ngũ kỹ sư lành nghề và ban quản lý giàu kinh nghiệm, Pima luôn không ngừng cải thiện, đổi mới quy trình sản xuất để luôn mang đến cho khách hàng những sản phẩm tối ưu với giá thành cạnh tranh nhất

With skillful engineers and experienced managers, Pima always constantly improve production process in order to dedicate the best quality products with competitive price

ỨNG DỤNG CỦA TẤM PIMA

“Application of Pima PVC Foam Board”

● Bathroom Cabinet



● Kitchen Cabinet



● Yacht Interior Decoration



● Raft Cabin & Freezing Box



● Air Conditioning Case

● Automobile Flooring & Partition



Decorative Ceiling



Decorative Door




Security Booth

● Building Exterior Decoration



● Interior Decoration





PIMA PVC FOAM BOARD COMPARE TO OTHER PANEL MATERIAL

Feature	Solid Wood	Plywood	(H)MDF	Particle Board	OSB	Gypsum Board	Cement Fiber Board	Pima PVC Foam Board
Waterproof	x	x	x	x	x	x	✓	✓
Weatherproof	x	x	x	x	x	x	✓	✓
Anti-Termite	x	x	x	x	x	x	✓	✓
Anti-Moisture	x	x	x	x	x	x	✓	✓
Sound insulation	x	x	x	x	x	x	✓	✓
Corrosion Resistant	x	x	x	x	x	x	✓	✓
Safe to use	✓	Formaldehyde	Formaldehyde	Formaldehyde	MDI/ Formaldehyde	Fragile	Fragile	✓Non toxic
Light weight	x	✓	✓	✓	✓	x	x	✓

✗ No ✓ Yes



● Pvc Foam Board For School Interior

PIMAX (FREE FOAM BOARD)

| Miêu tả

“ Description ”

Tấm Pimax (Formex) là một vật liệu PVC siêu nhẹ, được sử dụng rộng rãi làm bảng quảng cáo/in ấn, tấm lót khung hình, thiết kế và in 3D. Đây là một sản phẩm đặc trưng, vừa chắc chắn lại vừa linh hoạt tùy theo ứng dụng. Những tính năng nổi bật của tấm pimax bao gồm không bị ăn mòn, dễ chế tạo, không độc hại và khả năng ứng dụng in ấn tuyệt vời.

Pimax Free Foam Board (Formex) is extra-lightweight foamcore board which is used for outdoor advertising signage/printing backing in picture framing, 3D design and painting. Pima Foamex Board is distinguished product which characterize both solid and flexibility at the same time. Its accentuated features including non-corrosive, easy to fabricate, non-toxic and outstanding printability.

PIMAX®

Đặc tính Specification

1	Kích thước Size	1220 mm * 2440 mm Có thể thay đổi/ Changeable
2	Độ dày Thickness	1 mm ~ 18 mm
3	Khối lượng riêng Density	320 ~ 400 kg/m ³
4	Bề mặt Surface	Nhẵn bóng Smooth & highglossy
5	Màu sắc Colours	Trắng, vàng hoặc xám White, yellow, gray





● UV Flat Printing



● Display/Signage Panel



● Digital Object Cutting



LED Advertising Panel ●



Modular Expo Booth ●

CỬA NHỰA PIMD PIMD WPC DOOR

| Miêu tả "Description"




Cửa nhựa (WPC) Pim Door là một sản phẩm đáng chú ý của thời đại mới. Nó có độ bền và tuổi thọ cao, thân thiện với môi trường cũng như sở hữu nhiều thiết kế bắt mắt. Đó là lý do mà cửa nhựa WPC trở thành sự lựa chọn tối ưu cho kết cấu cửa nội thất. Không giống như các loại cửa truyền thống hay các loại cửa khác, cửa nhựa WPC vượt trội hơn hẳn về khả năng cách âm & cách nhiệt. Cấu trúc vật lý vững chắc cùng tính linh hoạt mang đến cho sản phẩm khả năng thích nghi cho nhiều hệ thống khung cửa khác nhau.


Pima WPC Door is a remarkable product of the new age. It is highly durable, long life-span, eco-friendly and possess various attractive design to be the ultimate choice for interior door scheme. Unlike the traditional or other type of doors, WPC Solid Door is far more superior in term of sound & heat insulation, strong physical structure and flexibility to be adapted into any door system there are.

| KHUNG CỬA PIMD WPC - PIMD WPC DOOR FRAME


Materials:	100% WPC board
Color:	PVC film coated, painting, laminate
Frame Type:	A/B/... type, L shape or arc shape
Frame Size:	120/200 mm
Architrave type L shape and T shape	



A Type Frame



B Type Frame



A Type Frame



I BẢNG MÀU - COLOR PANEL

 C01	 C02	 C03	 W01	 W02
 W02	 W03	 W04	 W05	 W06
 W07	 W08	 W09	 W11	 W12
 W13	 W14	 W15	 W16	 W17
 W18	 W19	 W20	 W21	 W22



Waterproof



Fire resistant



Anti Termite



Non-toxic




Friendly with environment



I LEN TƯỜNG PIM (WPC,SPC) - MODEL PIM SKIRTING

PSK-01




PSK-02




PSK-03




PSK-04




PSK-05




PSK-06



PSK-07



Skirting Installation Schematic Diagram





Extamal corner, internal corner, lush joint combination





Inside Corner

Exposed Corner



I LEN TƯỜNG PIMD (WPC,SPC) - MODEL PIMD SKIRTING





PSK-08





PSK-09





PSK-10





PSK-11




PSK-12




PSK-13




PSK-14



PSK-15



PSK-16



PSK-17



Waterproof



Fire resistant



Anti Termite



Non-toxic



Friendly with environment

TẤM ỐP TƯỜNG PIMA

| Miêu tả

" Description "

Tấm ốp tường Pima là vật liệu mới phù hợp với cả nội thất và ngoại thất. Nó có trọng lượng nhẹ, dễ lắp đặt và chi phí bảo trì thấp; những ưu điểm này giúp sản phẩm trở thành sự lựa chọn tuyệt vời để cải tạo môi trường sống và làm việc. Nhiều màu sắc và thiết kế đa dạng, tấm lam sóng đảm bảo độ bền lâu cho bề mặt cũng như khả năng chống cong vênh / nứt nẻ; sản phẩm luôn là câu trả lời hoàn hảo cho bất kỳ dự án nào yêu cầu tính chuẩn mực cao

Pima WPC Wall Cladding Panel is the new material which fit both interior and exterior. It is light-weight, easy to install and low maintenance cost; these advantages make the product an excellent choices to renovate the living / working environment. With many colors, wooden design and textures, WPC wall cladding panel ensure the long-lasting surface as well as anti-warping / cracking ability; this product shall be the perfect answer to any project with high quality expectation.




TẤM ỐP TƯỜNG PIMA 3 SÓNG

Kích thước (L x W x H): 3000 x 200 x 15 mm
3000 x 200 x 30 mm



TẤM ỐP TƯỜNG PIMA

Kích thước (L x W x H): 600 (400,300) x 3000 x 9 mm



IMÀU SẮC - COLOR PANEL



Waterproof



Fire resistant



Anti Termite



Non-toxic



Friendly with environment

| Ứng dụng "Application"


Trang trí tường nội thất của khách sạn, giải trí nhà hàng câu lạc bộ, siêu thị, showroom, cao ốc văn phòng, biệt thự karaoke ...

Interior decoration of hotels, entertainment clubs, restaurants, supermarkets, showrooms, office buildings, villa, KTV (karaoke televisions) ...



HƯỚNG DẪN THI CÔNG - CONSTRUCTION MANUAL

1 Ứng dụng ốp tường Used for wall




A Súng bắn đinh Air gun nail

Dùng súng bắn đinh cố định tấm ốp vào khung sườn.
Used the nail to fit the panel on the bracket, piece by piece



2 Ứng dụng ốp trần Used for ceiling



B Ke kim loại và vít Metal clip & Screw

Sử dụng ke kim loại cố định tấm ốp vào khung sườn.
Used the Metal clip and screw to fit the panel on the bracket



TẤM TRANG TRÍ PIMA CẨM THẠCH

“ Pima Decorative Imitation Marble Board ”

| Quý khách vui lòng liên hệ với chúng tôi để tham khảo thêm nhiều mẫu mã khác.

“For more samples and models of this product, please contact Pima representative”




8801



8802



8803



8804



8805



8806




8807



8808



8809



8810




8811



8812

*“ Màu sắc thật có thể sai biệt do những hạn chế khi in ấn. Công ty được quyền thay đổi thông tin được mô tả ở đây mà không cần báo trước.
The actual color could be possibly different due to printing quality restriction. Pima has the right to adjust any stated information without prior notice*



8814




8815



8816



8817




8818




8819



8822



8824



8826



8828



8831



8834



8840




8841



3D-SEA



3D - F01



3D - F02



3D - SKY


Nẹp chỉ Pima

"Pima Marble Splint"

A. Nẹp đá nhựa / Plastic Marble Splint



PL - GI 16Y



PL - V 60B




PL - V 80B




PL - V 100B



PL - B 50Y



PL - T 120B



PL - V 120B




PL - O 130Y

B. Thanh nhôm liên kết / Aluminum Joint Bars



PL-AI B



PL-AI Y



PL-AT1 B



PL-AT1 Y



PL-A0 Y



PL-A0 B



PL-AT Y



PL-AT B

| Miêu tả "Description"



Tấm nhựa hoa cương Pima là một sản phẩm thân thiện với môi trường với nét đẹp và chất lượng vượt trội hơn so với đá hoa cương. Lợi thế riêng biệt của nó là dễ dàng để thi công, chống thấm, chống ăn mòn và đặc biệt là có thể sử dụng trong môi trường ẩm ướt. Vì vậy, với tất cả các ưu điểm đáng chú ý đó, sản phẩm đang trở thành xu hướng mới trong ngành trang trí nội thất và vật liệu hàng đầu để nâng cấp mỹ quan không gian sống.

Pima (PVC) Imitation Marble Board is an incredible eco-friendly product with superior beauty and higher quality comparing marble tiles. Its distinct advantages are easy to construct, impermeable, fire resistant and especially can be used in humid environment. Therefore, with all remarkable characteristics, this product undeniably become the new trend in indoor decoration and leading material for home renovation.

| Ứng dụng "Application"

Trang trí tường nội thất của khách sạn, giải trí nhà hàng câu lạc bộ, siêu thị, showroom, cao ốc văn phòng, biệt thự karaoke ...

Interior decoration of hotels, entertainment clubs, restaurants, supermarkets, showrooms, office buildings, villa, KTV (karaoke televisions) ...



Đặc tính tấm Pima Cẩm Thạch
Pima Marble board specification

1	Kích thước Size	1220 mm * 2440 mm Có thể thay đổi/ Changeable
2	Độ dày Thickness	3.8 mm, 4.8 mm, 5.8 mm, ... 10 mm
3	Khối lượng riêng Density	2000 ~ 2200 kg/m ³
4	Thiết kế Design	Màu cẩm thạch Marble colors
5	Cấu trúc Structure	Nhựa cứng + đá cẩm thạch + (Lớp phủ UV) + Màng bảo vệ PE. PVC hard plastic + marble stone + UV cover + PE protective film.



ỨNG DỤNG - APPLICATION




HƯỚNG DẪN THI CÔNG


“Construction Manual”

Biện pháp thi công /Construction Methods


CẮT/ CUTTING



KHOAN / DRILLING



CẮT XỬ LÝ CẠNH / EDGES HANDLING



Một số phương pháp liên kết

Connection Methods



Nối chữ T
T - joint



Nối mẫu nhỏ
Small seal joint



Nối mẫu nhỏ
Small seal joint



Nối góc
Angle joint








Nối góc tròn
Round corner jointing

Lưu ý trong quá trình vận chuyển

Attention during product transportation

Giữ tấm Pima theo phương dọc khi vận chuyển

Keep the Pima board in vertical way while carrying



Thông tin về dụng cụ và vật liệu hỗ trợ lắp đặt

Installing Equipment and Supporting Physical Materials

Keo dán / Glues





Cưa - Sawing

Đóng Đinh - Nailing



Khoan - Drilling

Sơn - Painting

Gắn Keo - Gluing

Định Tuyến - Routing


Công cụ thi công / Constructing tools



Thanh nhôm liên kết / Aluminum Joint Bar

Phào chỉ cẩm thạch Pima / Pima Marble Splint





PIMA COMPANY LIMITED

Email: info@pima.com.vn - pimaplastic78@gmail.com

Web: www.pima.com.vn - www.pima.vn

www.pimapro.com - vietnamfoamboard.com

NHÀ PHÂN PHỐI - DISTRIBUTORS



"Version: 2021"